GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Municipal Administration & Urban Development Department – Allegation of corruption against Sri Gandham VenkataPallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District - Placed under suspension – Suspension Reviewed - Continuation of suspension – Orders - Issued.

==========

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (Vig.I-2) DEPARTMENT

G.O.RT.No. 242 Dated: 25-05-2021.

Read the following:-

1. RadioMessege received from the DSP, ACB, Kurnool Range, Kurnool in Cr.No.03/RCA-RJY/2020, dt.05.02.2020.
2. G.O.Rt.No.96 MA&UD (Vig.I) Dept., dt.17.02.2020.
3. From DG, ACB, Vijayawada Lr.Rc.No.15/RCA-REG/2020, dt.16.09.2020.
4. G.O.Rt.No.190 MA&UD (Vig.I) Dept., dt.28.10.2020.
5. Minutes of the ACB review Committee Meeting, dt.11.05.2021.

***

ORDER:-

In the reference 2nd read above, Government have placed Sri Gandham VenkataPallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District under deemed suspension from 04.02.2020 in terms of clause (a) sub-rule (2) of rule 8 of APCS (CCA) Rules, 1991, as a case was registered by Anti Corruption Bureau, Rajamahendravaram Range against him in Cr.No.03/RCA-RJY/2020, Dt.03.02.2020 under Section 13(1) R/W 13 (2) of Prevention of Corruption Act (Amendment) Act, 2018 on the allegation of acquisition of assets disproportionate to his known sources of legal income.

2. Government have reviewed the suspension of Sri Gandham VenkataPallam Raju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District in the light of G.O.Ms.No.86, Dt.08.03.1994 duly placing the matter before the review committee for consideration of reinstatement of Government servants who are under suspension for more than six months in ACB Trap/DA cases. During the review meeting held on 11.05.2021 with the ACB officials, it has been decided to continue the suspension of Sri Gandham VenkataPallamRaju, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District.

3. Accordingly, Government have examined the matter and ordered that Sri Gandham VenkataPallam Raju, the then Superintending Engineer, Kakinada Municipal Corporation, East Godavari District, shall continue to be under suspension, until further orders.

4. The Engineer-in-Chief (Public Health), AP, Tadepalli shall take further necessary action in the matter, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Public Health), AP, Tadepalli.
The individual through ENC(PH), AP, Tadepalli.
Copy to:
The Director General, Anti Corruption Bureau, Vijayawada.
Sc/Sf (E 1096129).

// FORWARDED :: BY ORDER //

SECTION OFFICER